L Numbe	r Hits	Search Text	DB	m:
1	22859		USPAT;	Time stamp 2002/12/06 14:36
ļ		pixel)	US-PGPUB;	2002/12/00 14.30
	1		EPO; JPO;	
. 7			IBM TDB	
7	42655		USPĀT;	2002/12/06 13:50
		three\$1dimensional or stereoscopic\$5 or	US-PGPUB;	
		stereo)	EPO; JPO;	
13	2376	//corresponds on matched	IBM_TDB	
1 - 0	2570	((correspon\$5 or match\$4) near (point or pixel)) and ((image or picture) same (3d	USPAT;	2002/12/06 13:52
		or three\$1dimensional or stereoscopic\$5 or	US-PGPUB;	
		stereo))	EPO; JPO; IBM TDB	· i
20	890		USPAT;	2002/12/06 13:57
		pixel)) with (edge or contour or	US-PGPUB;	
		occlusion or discontinu\$4)	EPO; JPO;	· ext
			IBM TDB	
32	76	Transfer of maccings, near (Doing of	USPAT;	2002/12/06 14:54
		pixel)) and ((image or picture) same (3d	US-PGPUB;	
		or three\$1dimensional or stereoscopic\$5 or	EPO; JPO;	İ
		stereo))) and (((correspon\$5 or match\$4)	IBM_TDB	
		near (point or pixel)) with (edge or		
		<pre>contour or occlusion or discontinu\$4))) and (left with right)</pre>		
26	129		[10D2 m	
		pixel)) and ((image or picture) same (3d	USPAT; US-PGPUB;	2002/12/06 13:59
		or three\$1dimensional or stereoscopic\$5 or	EPO; JPO;	
		stereo))) and (((correspon\$5 or match\$4)	IBM TDB	
		near (point or pixel)) with (edge or	1511_100	
		contour or occlusion or discontinu\$4))		
38	1332	first with second with match\$4 with point	USPAT;	2002/12/06 14:41
			US-PGPUB;	
			EPO; JPO;	
44	1116	nlumples with matches in	IBM_TDB	
1 1 1	1110	plural\$6 with match\$4 with point	USPAT;	2002/12/06 14:42
			US-PGPUB;	
			EPO; JPO; IBM TDB	
50	309	multiple with match\$4 with point	USPAT;	2002/12/06 14:42
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	2002/12/06 14:42
	İ		EPO; JPO;	İ
			IBM TDB	
62	2506		USPAT;	2002/12/06 14:40
		point) or (plural\$6 with match\$4 with	US-PGPUB;	
	İ	<pre>point) or (multiple with match\$4 with point)</pre>	EPO; JPO;	
68	138	(((correspon\$5 or match\$4) near (point or	IBM_TDB	
	130	pixel)) and ((image or picture) same (3d	USPAT;	2002/12/06 14:40
		or three\$1dimensional or stereoscopic\$5 or	US-PGPUB; EPO; JPO;	
		stereo))) and ((first with second with	IBM TDB	
		match\$4 with point) or (plural\$6 with		
		match\$4 with point) or (multiple with		
74		match\$4 with point))		
/4	27	first near second near (correspon\$5 or	USPAT;	2002/12/06 14:44
		match\$4) near point	US-PGPUB;	
			EPO; JPO;	
80	71	plural\$6 near (correspon\$5 or match\$4)	IBM_TDB	2002/12/22
	'-	near point	USPAT; US-PGPUB;	2002/12/06 14:44
		F	EPO; JPO;	
			IBM TDB	
86	15	multiple near (correspon\$5 or match\$4)	USPAT;	2002/12/06 14:45
		near point	US-PGPUB;	-302, 12,00 11.4J
İ	1		EPO; JPO;	
0.2		461	IBM_TDB	
92	113	(first near second near (correspon\$5 or	USPĀT;	2002/12/06 14:46
		match\$4) near point) or (plural\$6 near	US-PGPUB;	
		(correspon\$5 or match\$4) near point) or	EPO; JPO;	
	[<pre>(multiple near (correspon\$5 or match\$4) near point)</pre>	IBM_TDB	
	L	mout point;		

Page 1

98				
98	39	The second field of the feet of the spons of the second field of t	USPAT;	2002/12/06 14:54
		match\$4) near point) or (plural\$6 near	US-PGPUB;	
		(correspon\$5 or match\$4) near point) or	EPO; JPO;	
		(multiple near (correspon\$5 or match\$4)	IBM_TDB	
_	25663	near point)) and (left with right)		
	23003		USPAT;	2002/11/25 11:14
		KAISHA & CANON APTEX- INC." "CANON	US-PGPUB;	
		KABUSHIKI KAISHA & TADAHIRO OHMI" "CANON	EPO; JPO;	
		KABUSHIKI KAISHAI" "CANON KABUSHIKI KAISHA- P.C." "CANON KABUSHIKI	DERWENT;	
		KAISHA P.C. CANON KABUSHIKI KAISHA/APPLIED MATERIALS JAPAN INC."	IBM_TDB	
-	4	berestov-alexander.in.		
	-	Serescov alexander.in.	USPAT;	2002/11/25 11:14
			US-PGPUB;	
			EPO; JPO;	İ
-	164	("CANON KABUSHIKI KAISHA" "CANON KABUSHIKI	IBM_TDB USPAT;	2002/11/05 10 05
		KAISHA & CANON APTEX- INC." "CANON	US-PGPUB;	2002/11/25 12:25
		KABUSHIKI KAISHA & TADAHIRO OHMI" "CANON	EPO; JPO;	}
		KABUSHIKI KAISHAI" "CANON KABUSHIKI	IBM TDB	1
		KAISHA- P.C." "CANON KABUSHIKI	12011_100	
		KAISHA/APPLIED MATERIALS JAPAN INC.") and		ļ
		(images near overlap)		
_	3488		USPAT;	2002/11/25 12:32
		KAISHA & CANON APTEX- INC." "CANON	US-PGPUB;	
		KABUSHIKI KAISHA & TADAHIRO OHMI" "CANON	EPO; JPO;	
		KABUSHIKI KAISHAI" "CANON KABUSHIKI	IBM_TDB	
	İ	KAISHA- P.C." "CANON KABUSHIKI		
		KAISHA/APPLIED MATERIALS JAPAN INC.") and		
_	1	(image and (match or compare))		
	1	(CANON	USPAT;	2002/11/25 14:53
		KABUSHIKI KAISHA & CANON APTEX- INC."	US-PGPUB;	
		"CANON KABUSHIKI KAISHA & TADAHIRO OHMI" "CANON KABUSHIKI KAISHAI" "CANON KABUSHIKI	EPO; JPO;	
		KAISHA- P.C." "CANON KABUSHIKI	IBM_TDB	
		KAISHA/APPLIED MATERIALS JAPAN INC.") and		
		(image and (match or compare))) and		
		(subimage and split\$5)		
_	599	382/154.ccls.	IICDAM.	2000/10/05 11 00
		111, 1011, 1011	USPAT; US-PGPUB;	2002/12/05 11:09
			EPO; JPO;	
			IBM TDB	
-	28	382/154.ccls. and (((two or pair or couple	USPAT;	2002/11/25 16:24
		or multiple) near3 image) with (overlap))	US-PGPUB;	2002/11/23 10.24
	1		EPO; JPO;	
			IBM TDB	
_	99	382/154.ccls. and (((two or pair or couple	USPĀT;	2002/11/26 15:40
		or multiple) near3 image) with (overlap\$3	US-PGPUB;	
		or match\$4))	EPO; JPO;	
_	2	(stored point metalial)	IBM_TDB	
	2	<pre>(stereo near3 match\$4) same (image near4 occlus\$4)</pre>	USPAT;	2002/11/25 17:14
		OCC143441	US-PGPUB;	
			EPO; JPO;	
-	702	382/209.ccls.	IBM_TDB USPAT;	2002/11/05 15 25
1		in the second of	USPAT; US-PGPUB;	2002/11/26 15:39
1			EPO; JPO;	
			IBM TDB	
-	62	382/209.ccls. and (((two or pair or couple	USPAT;	2002/11/26 15:48
]		or multiple) near3 image) with (overlap\$3	US-PGPUB;	2002/11/20 13:48
		or match\$4))	EPO; JPO;	ļ
			IBM TDB	
_	96	((two or pair or couple or multiple) near3	USPAT;	2002/11/26 16:53
		image) with ((match\$4) near2 point)	US-PGPUB;	
]	· · ·	EPO; JPO;	
			IBM TDB	
-	13184	(overlap\$4) near4 (images)	USPĀT;	2002/11/26 16:54
	ļ		US-PGPUB;	_
ĺ		,	EPO; JPO;	
	<u> </u>		IBM_TDB	

-	65	((match\$4 or correspond\$4) near4 (points	USPAT; US-PGPUB;	2002/12/04	15:39
_	1	or features or character\$6)) 382/154.ccls. and (((overlap\$4) near4)	EPO; JPO; IBM_TDB		
	4	(images)) with ((match\$4 or correspond\$4) near4 (points or features or	USPAT; US-PGPUB; EPO; JPO;	2002/11/27	08:46
-	13	character\$6))) 382/154.ccls. and (((overlap\$4)) with ((match\$4 or correspond\$4 or compar\$3)	IBM_TDB USPAT; US-PGPUB;	2002/11/27	08:49
	599	<pre>near4 (point or dot or location or spot or features or character\$6)))</pre>	EPO; JPO; IBM_TDB		
	399	302/134.0018.	USPAT; US-PGPUB; EPO; JPO;	2002/11/27	09:03
_	122	382/154.ccls. and overlap	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/27	10:25
-	154	356/12-14.ccls.	IBM_TDB USPAT; US-PGPUB;	2002/11/27	10:27
_	87	382/154.ccls. and (match\$4 near3 point)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2002/11/27	12:55
_	151	382/154.ccls. and ((correspond\$4) near3 point)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2002/11/27	13:04
_	204	382/154.ccls. and ((correspond\$4 or match\$4) near4 point)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2002/12/02	17:55
_	5	 ("4825393" "5179441" "5220441"	EPO; JPO; IBM_TDB USPAT	2002/12/02	16:01
_	13		USPAT	2002/12/02	16:11
_	397	356/12,13,14,611,623,631.ccls.	USPAT; US-PGPUB; EPO; JPO;	2002/12/02	18:10
-	55	356/12,13,14,611,623,631.ccls. and ((correspond\$4 or match\$4) near4 point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/02	18:10
_	167	250/559.23,559.31.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/02	18:10
_	15	250/559.23,559.31.ccls. and ((correspond\$4 or match\$4) near4 point)	IBM_TDB USPAT; US-PGPUB;	2002/12/03	08:51
_	27	348/47.ccls. and ((correspond\$4 or match\$4) near4 point)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2002/12/03	09:10
_	3	600/166.ccls. and ((correspond\$4 or match\$4) near4 point)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2002/12/03	09:11
-	23402	<pre>(rgb or color or red or green or blue) with ((image) with (split\$5 or divid\$3 or separat\$3 or allocat\$4))</pre>	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/04	10:20
			IBM TDB		

-	31	((rgb or color or red or green or blue)	USPAT;	2002/12/04 10:06
		with ((image) with (split\$5 or divid\$3 or	US-PGPUB;	2002/12/04 10:00
		separat\$3 or allocat\$4))) with ((dispar\$4	EPO; JPO;	
		or differenc\$3) with (correspond\$4 or	IBM TDB	
		match\$4))	TEM_TOB	
-	3			
		with (/image) with (and the first the	USPAT;	2002/12/04 10:07
		with ((image) with (split\$5 or divid\$3 or	US-PGPUB;	
ĺ		separat\$3 or allocat\$4))) with ((dispar\$4	EPO; JPO;	
		or differenc\$3) with (correspond\$4 or	IBM_TDB	
1		match\$4) near5 point)		
-	27	I are the second to the second	USPAT;	2002/12/04 11:08
ľ		green or blue) with ((image) with (splits5	US-PGPUB;	
		or divid\$3 or separat\$3 or allocat\$4)))	EPO; JPO;	
			IBM TDB	
-	1	5220441.pn. and (color or colour)	USPAT;	2002/12/04 11:11
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2002/12/04 11:11
			EPO; JPO;	1
_	65	((overlap\$4) near4 (images)) with	IBM_TDB	
		((matched) or corresponded (1)	USPAT;	2002/12/04 15:41
		((match\$4 or correspond\$4) near4 (points	US-PGPUB;	
		or features or character\$6))	EPO; JPO;	
		200 /4 5 4	IBM TDB	
-	9		USPAT;	2002/12/04 18:38
		((match\$4 or correspond\$4) near4 (points	US-PGPUB;	
		or features or character\$6)))	EPO; JPO;	
			IBM TDB	
-	291	382/154.ccls. and ((correspond\$5 or	USPAT;	2002/12/05 12:24
		match\$4 or compar\$4 or like\$4) near3	US-PGPUB;	2002/12/03 12:24
		(point or location or place or dot or		
ļ		indicat\$4))	EPO; JPO;	
-	10	("4905081" "5179441" "5454064"	IBM_TDB	0000 (00 (00 00 00 00 00 00 00 00 00 00
	1	"5652616" "5719954" "5727087"	USPAT	2002/12/05 11:22
		"5764871" "5767922" "5768404"		-
		3/040/1 3/0/922" "3/684U4"		
_		"6141440").PN.		
-	0	6456737.URPN.	USPAT	2002/12/05 11:27
i -	333	382/294.ccls.	USPAT;	2002/12/05 14:38
1			US-PGPUB;	
	ł		EPO; JPO;	
			IBM TDB	
_	25	382/294.ccls. and 382/154.ccls.	USPAT;	2002/12/05 12:24
			US-PGPUB;	2002/12/03 12.24
			EPO; JPO;	
ļ				
-	333	382/294.ccls.	IBM_TDB	2002/12/05 15 15
		000, 201.0010.	USPAT;	2002/12/05 15:41
			US-PGPUB;	
	,		EPO; JPO;	
_	,	202/204 colo	IBM_TDB	
_	7	382/294.ccls. and (((overlap\$4) near4	USPAT;	2002/12/05 15:41
		(images)) with ((match\$4 or correspond\$4)	US-PGPUB;	
		near4 (points or features or	EPO; JPO;	1
		character\$6)))	IBM TDB	
-	1	4644582.URPN.	USPAT	2002/12/05 15:02
-	11	382/294.ccls. and ((overlap\$4) with	USPAT;	2002/12/05 16:15
ļ		((match\$4 or correspond\$4 or compar\$4 or	US-PGPUB;	2002/12/03 10.13
	ĺ	like\$4) near4 (point or feature or	EPO; JPO;	
	[character\$6)))		
			IBM TDB	ľ